Made in Italy for



ALFA 300SS 3/4 HP CONTINUOUS FEED / COMMERCIAL FOOD PROCESSOR



ALFA 300SS 3/4HP - FOOD PROCESSOR 550W / 120V / 60HZ — 1PHASE

- DESIGNED FOR USE IN RESTAURANTS, BARS, CATERERS & DELICATESSENS
- SLICES, SHREDS, GRATES, JULIENNES & DICES A BROAD VARIETY OF FRUIT. **VEGETABLES & CHEESES**





NSF std. 002 & 008



UL std. 763 & Std. C22.2






- CONTINUOUS FEED / FOOD PROCESSOR COMES WITH A CHOICE OF 3* DISCS
- CONSTRUCTION: NO PLASTICS USED, ALL STAINLESS STEEL & ANODIZED ALUMINUM BODY ENSURES DURABILITY / RELIABILITY.
- MOTOR: FAN COOLED 3/4 HP (550W) ENSURES EXTENDED PRODUCT LIFE, UNINTERRUPTED PRODUCTION & IMPROVED PERFORMANCE.
- YIELD: UP TO 100 400 LBS. / HOUR
- DISC SPEED: 300 RPMs
- NEMA #: 5-15 P
- EQUIPPED WITH A DUAL INTERLOCK SAFETY SYSTEM. 1ST INTERLOCK SWITCH STOPS UNIT WHEN FEED LEVER IS LIFTED. 2ND INTERLOCK SWITCH DISABLES UNIT WHEN IMPELLER COVER IS NOT IN PLACE OR OFF.
- STAINLESS STEEL COVER IS REMOVABLE & DISHWASHER SAFE.
- ETL LISTED & CERTIFIED
- WARRANTY: 1 YEAR PARTS & LABOR
- **21** FOOD PROCESSING DISCS AVAILABLE.
- PUSHER IS HYGIENIC ABS PLASTIC



ALFA 300SS 3/4 HP

CONTINUOUS FEED / COMMERCIAL FOOD PROCESSOR



Product Specifications

A: 10" (225 mm)

B: 7 %" (195 mm)

C: 10" (255 mm)

D: 11" (280 mm)

E: 20 1/8" (510 mm)

F: N/A

G: 20 1/8" (510 mm)

H: 30 %" (770 mm)

Net Weight: 44 lbs. (20 kg)

Shipping Weight: 52 lbs. (24 kg)

Shipping Dimensions: 28 3/8" x 19 3/4" x 16 3/4"

* Specifications may change without notice

* DD8, DD10 & DD20 Dicing Discs works with SD6, SD7 & SD9 Slicing Discs only.

JULIENNE DISCS



SS Grating / Shredding Discs

DS1 (1/16") DS3 (5/64") DS4 (5/32") DS3 (1/8") DS5 (9/32") DS6 (11/32")

REDDING DISCS



Stainless Steel Julienne Discs

JD 4 (5/32") JD 6 (7/32")

JD 8 (5/16") JD 10 (3/8")



Stainless Steel Slicing Discs

SD2 (5/64") SD1 (1/16") SD3 (1/8") SD4 (5/32") SD5 (3/16") SD6 (5/16") SD7 (3/8") SD8 (9/16")

DICING DISCS



Stainless Steel Dicing Discs DD 8 (5/16") DD 10 (3/8") DD 20 (13/16")

SLICING DISCS

